

SAFETY DATA SHEET

1. Product and Company Identification

Product Identifier: SaniTex® Plus Germicidal Disposable Wipe
Product Codes: SANLC, SANXLC2
Other Means of Identification: Not available
Recommended Use: Disinfectant
Recommended Restrictions: For Professional and Hospital Use. Not for use on skin Not a baby wipe.
Company Crosstex
 10 Ranick Road
 Hauppauge, New York 11788
 631.582.6777
Emergency Telephone Number: INFOTRAC:
 24-Hour Number: 1-800-535-5053
 International: +1-352-323-3500

2. Hazards Identification

Physical hazards Flammable solids Category 1
Health hazards Serious eye damage/eye irritation Category 2B
Environmental hazards Not determined.
OSHA defined hazards None additional.

Label elements



Signal word Danger
Hazard statement Flammable solid. Causes eye irritation.
Precautionary statement
 Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Wash thoroughly after handling.
 Response If in eyes: Rinse cautiously with water for 15 - 20 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use appropriate media to extinguish.
 Storage Store away from incompatible materials.
 Disposal Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC) None known.
Supplemental information Not applicable.

3. Composition/Information on Ingredients

Mixture

| Chemical name | Common name and synonyms | CAS number | % |
|--|--------------------------|------------|-------|
| Isopropanol | | 67-63-0 | 14.85 |
| Benzyl-C12-18-alkyldimethyl ammonium chlorides | | 68391-01-5 | 0.125 |
| Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides | | 68956-79-6 | 0.125 |

Composition comments Composition shown on this Safety Data Sheet may contain information additional to that on the product label. This is due to different label requirements in different countries.

4. First Aid Measures

Inhalation Not a normal route of exposure. If inhaled, remove to fresh air. Get medical attention if symptoms develop.

| | |
|---|---|
| Skin contact | If irritation develops, get medical attention. |
| Eye contact | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. |
| Ingestion | Not a likely route of exposure. If ingestion does occur, call a poison control center or doctor for treatment advice. |
| Most important symptoms/effects, acute and delayed | Symptoms may include stinging, tearing, redness, swelling, and blurred vision. |
| Indication of immediate medical attention and special treatment needed | Treat patient symptomatically. |
| General information | Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Avoid contact with eyes. |

5. Fire Fighting Measures

| | |
|--|--|
| Suitable extinguishing media | Water. Water Fog. Dry chemical powder. Carbon dioxide (CO2). |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | During fire, gases hazardous to health may be formed. |
| Special protective equipment and precautions for firefighters | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. Structural firefighters protective clothing will only provide limited protection. |
| Fire-fighting equipment/instructions | In case of fire and/or explosion do not breathe fumes. In the event of fire, cool product with water spray. Move product from fire area if you can do so without risk. |
| Specific methods | Use standard firefighting procedures and consider the hazards of other involved materials. Move products from fire area if you can do so without risk. In the event of fire and/or explosion do not breathe fumes. |
| General fire hazards | Flammable solid. |
| Hazardous combustion products | May include and are not limited to: Oxides of nitrogen. Oxides of carbon. Chloride compounds |
| Explosion data | |
| Sensitivity to mechanical impact | Not available. |
| Sensitivity to static discharge | Not available. |

6. Accidental Release Measures

| | |
|--|---|
| Personal precautions, protective equipment and emergency procedures | Wear appropriate protective equipment and clothing during clean-up. For personal protection, see section 8 of the SDS. |
| Methods and materials for containment and cleaning up | Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Pick up and discard towelette. For waste disposal, see section 13 of the SDS. |
| Environmental precautions | Avoid discharge into drains, water courses or onto the ground. |

7. Handling and Storage

| | |
|---|---|
| Precautions for safe handling | Do not use or store near heat or open flame. Use according to package label instructions. Use good industrial hygiene practices in handling this material. Wear appropriate personal protective equipment. Wash thoroughly after handling. When using do not eat or drink. |
| Conditions for safe storage, including any incompatibilities | Do not contaminate water, food or feed by storage and disposal. When not in use keep center cap of lid closed to prevent moisture loss. Keep out of reach of children. Store away from incompatible materials (see Section 10 of the SDS). |

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|---------------------------|------|-----------|
| Isopropanol (CAS 67-63-0) | PEL | 980 mg/m3 |

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components | Type | Value |
|------------|------|---------|
| | | 400 ppm |

US. ACGIH Threshold Limit Values

| Components | Type | Value |
|---------------------------|------|---------|
| Isopropanol (CAS 67-63-0) | STEL | 400 ppm |
| | TWA | 200 ppm |

US. NIOSH: Pocket Guide to Chemical Hazards

| Components | Type | Value |
|---------------------------|------|------------------------|
| Isopropanol (CAS 67-63-0) | STEL | 1225 mg/m ³ |
| | | 500 ppm |
| | TWA | 980 mg/m ³ |
| | | 400 ppm |

Biological limit values**ACGIH Biological Exposure Indices**

| Components | Value | Determinant | Specimen | Sampling Time |
|---------------------------|---------|-------------|----------|---------------|
| Isopropanol (CAS 67-63-0) | 40 mg/l | Acetone | Urine | * |

* - For sampling details, please see the source document.

Exposure guidelines Chemicals listed in section 3 that are not listed here do not have established limit values for ACGIH or OSHA PEL.

Appropriate engineering controls Ensure adequate ventilation.

Individual protection measures, such as personal protective equipment

Eye/face protection Not needed under normal use conditions. Follow label directions carefully. Wear gear as needed.

Skin protection

Hand protection Not usually needed. Follow label directions carefully.

Other Follow label directions carefully.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards Not available.

General hygiene considerations Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. When using do not smoke. When using do not eat or drink.

9. Physical and Chemical Properties

| | |
|--|---|
| Appearance | Liquid saturated on wipe |
| Physical state | Solid. |
| Form | Pre-moistened towelette. |
| Color | White |
| Odor | Mild alcohol. |
| Odor threshold | Not available. |
| pH | 11 - 12 (liquid) |
| Melting point/freezing point | Not available. |
| Initial boiling point and boiling range | Not available. |
| Pour point | Not available. |
| Specific gravity | 0.97 (liquid) (H ₂ O = 1) |
| Partition coefficient (n-octanol/water) | Not available. |
| Flash point | 95.0 °F (35.0 °C) Tag Closed Cup (Liquid) |
| Evaporation rate | Not available. |

Flammability (solid, gas) Flammable solid.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available.

Flammability limit - upper (%) Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density Not available.

Solubility(ies) Towel is not soluble in water

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Flash point class Flammable IC

10. Stability and Reactivity

Reactivity Do not mix with incompatible materials.

Possibility of hazardous reactions Hazardous polymerization does not occur.

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Contact with incompatible materials.
Do not mix with other chemicals.
Avoid high temperatures.
Heat, flames and sparks.

Incompatible materials Do not use on natural marble, windows, unpainted wood or brass, clear plastic or colored grout. Oxidizing agents. Acids. Anionic surfactants. Soaps. Bleach solutions.

Hazardous decomposition products May include and are not limited to: Chloride compounds Hydrogen chloride. Oxides of nitrogen. Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Skin absorption, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion Health injuries are not known or expected under normal use.

Inhalation Health injuries are not known or expected under normal use.

Skin contact Non-irritating based on test data.

Eye contact Mildly irritating to eyes based on test data.

Symptoms related to the physical, chemical and toxicological characteristics Exposed individuals may experience eye tearing, redness, and discomfort.

Information on toxicological effects

Acute toxicity

| Product | Species | Test Results |
|---|---------|--|
| Sani-Cloth Plus Germicidal Disposable Cloth | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | > 2000 mg/kg, Based on OPPTS Test data |
| <i>Inhalation</i> | | |
| LC50 | Rat | > 2 mg/l/4h, Based on OPPTS Test data |
| <i>Oral</i> | | |
| LD50 | Rat | > 5000 mg/kg, Based on OPPTS Test data |

| Components | Species | Test Results |
|---|---|---------------|
| Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rat | 2000 mg/kg |
| | | 1420 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Mouse | 150 mg/kg |
| | Rat | 240 mg/kg |
| Isopropanol (CAS 67-63-0) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Rabbit | 12800 mg/kg |
| <i>Inhalation</i> | | |
| LC50 | Rat | 16970 mg/l/4h |
| <i>Oral</i> | | |
| LD50 | Dog | 4797 mg/kg |
| | Mouse | 3600 mg/kg |
| | Rabbit | 5030 mg/kg |
| | Rat | 4396 mg/kg |
| Quaternary ammonium compounds, C12-18-alkyl [(ethylphenyl) methyl] dimethyl, chlorides (CAS 68956-79-6) | | |
| Acute | | |
| <i>Dermal</i> | | |
| LD50 | Not available | |
| <i>Inhalation</i> | | |
| LC50 | Not available | |
| <i>Oral</i> | | |
| LD50 | Rat | 250 mg/kg |
| Skin corrosion/irritation | Non-irritating based on test data. Toxicity Category IV according to the OPPTS 870.2500 Acute Skin Irritation Study. Classified based on OPP/GHS Classification Criteria and Labeling Comparison. | |
| Exposure minutes | Not available. | |
| Erythema value | Not available. | |
| Oedema value | Not available. | |
| Serious eye damage/eye irritation | Causes eye irritation. Toxicity Category III according to the OPPTS 870.2500 Acute Eye Irritation Study. Classified based on OPP/GHS Classification Criteria and Labeling Comparison. | |
| Corneal opacity value | Not available. | |
| Iris lesion value | Not available. | |
| Conjunctival reddening value | Not available. | |
| Conjunctival oedema value | Not available. | |
| Recover days | Not available. | |
| Respiratory or skin sensitization | | |
| Respiratory sensitization | Not available. | |
| Skin sensitization | Not a skin sensitizer based on test data. | |
| Germ cell mutagenicity | Non-hazardous by WHMIS/OSHA criteria. | |
| Mutagenicity | Non-hazardous by WHMIS/OSHA criteria. | |
| Carcinogenicity | Non-hazardous by WHMIS/OSHA criteria. | |
| Reproductive toxicity | Non-hazardous by WHMIS/OSHA criteria. | |
| Teratogenicity | Non-hazardous by WHMIS/OSHA criteria. | |
| Specific target organ toxicity - single exposure | Not classified. | |

| | |
|---|---------------------------------------|
| Specific target organ toxicity - repeated exposure | Not classified. |
| Aspiration hazard | Not classified. |
| Chronic effects | Non-hazardous by WHMIS/OSHA criteria. |
| Further information | Not available. |
| Name of Toxicologically Synergistic Products | Not available. |

12. Ecological Information

| | | | |
|--------------------------------------|---|---|-----------------------|
| Ecotoxicity | Components of this product have been identified as having potential environmental concerns. See below | | |
| Components | | Species | Test Results |
| Isopropanol (CAS 67-63-0) | | | |
| Algae | IC50 | Algae | 1000 mg/L, 72 Hours |
| Crustacea | EC50 | Daphnia | 13299 mg/L, 48 Hours |
| Aquatic | | | |
| Fish | LC50 | Bluegill (<i>Lepomis macrochirus</i>) | > 1400 mg/l, 96 hours |
| Persistence and degradability | No data is available on the degradability of this product. | | |
| Bioaccumulative potential | No data available. | | |
| Mobility in soil | No data available. | | |
| Mobility in general | Not available. | | |
| Other adverse effects | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. | | |

13. Disposal Considerations

| | |
|--|--|
| Disposal instructions | Dispose of contents/container in accordance with local/regional/national/international regulations. Dispose of used towelette in accordance with local regulations for infectious waste disposal. Follow container label directions carefully. Do not reuse towelette. Dispose of used towelette in trash. Do not flush in toilet. Nonrefillable container. Do not reuse or refill this container. Triple rinse and offer for recycling. If recycling is not available, put in trash collection. |
| Local disposal regulations | Dispose in accordance with all applicable regulations. |
| Hazardous waste code | Assign as required. |
| Waste from residues / unused products | Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). |
| Contaminated packaging | Since emptied containers may retain product residue, follow label warnings even after container is emptied. |

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

| | |
|-----------------------------|--|
| UN number | UN3175 |
| Proper shipping name | Solids containing flammable liquid, n.o.s. (Isopropanol) |
| Hazard class | 4.1 |
| Packing group | II |
| Packaging exceptions | <1kg - limited quantity (par. 173.151) |

Transportation of Dangerous Goods (TDG - Canada)

Basic shipping requirements:

| | |
|-----------------------------|--|
| UN number | UN3175 |
| Proper shipping name | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol) |
| Hazard class | 4.1 |
| Packing group | II |
| Packaging exceptions | <1kg limited quantity |



15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

Isopropanol (CAS 67-63-0) 1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

Isopropanol (CAS 67-63-0) 1 %

WHMIS classification Exempt - Registered product - (DIN 02242608)

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

PRECAUTIONARY STATEMENTS:

Hazards to humans and Domestic animals.

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Wash thoroughly with soap and water after handling and before eating and drinking, chewing gum, using tobacco or using toilet.

EPA Reg. # 9480-6

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: De minimis concentration

Isopropanol (CAS 67-63-0) 1.0 %

US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

Isopropanol (CAS 67-63-0) Listed.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Isopropanol (CAS 67-63-0) Listed.

US CAA Section 111 Volatile Organic Compounds: Listed substance

Isopropanol (CAS 67-63-0) Listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

| Chemical name | CAS number | % by wt. |
|---------------|------------|----------|
| Isopropanol | 67-63-0 | 14.85 |

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

This product is not subject to warning labeling under the California Proposition 65 regulation.

US - California Hazardous Substances (Director's): Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Illinois Chemical Safety Act: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Louisiana Spill Reporting: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Minnesota Haz Subs: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - New Jersey RTK - Substances: Listed substance

Isopropanol (CAS 67-63-0) Listed.

US - Texas Effects Screening Levels: Listed substance

Benzyl-C12-18-alkyldimethyl ammonium chlorides (CAS 68391-01-5) Listed.

Isopropanol (CAS 67-63-0) Listed.

US. Massachusetts RTK - Substance List

Isopropanol (CAS 67-63-0) Listed.

US. Pennsylvania RTK - Hazardous Substances

Isopropanol (CAS 67-63-0) Listed.

US. Rhode Island RTK

Isopropanol (CAS 67-63-0) Listed.

Inventory status


| Country(s) or region | Inventory name | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada | Domestic Substances List (DSL) | Yes |
| Canada | Non-Domestic Substances List (NDSL) | No |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes |

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

| LEGEND | |
|----------|---|
| Severe | 4 |
| Serious | 3 |
| Moderate | 2 |
| Slight | 1 |
| Minimal | 0 |

| | |
|---------------------|-----|
| HEALTH | / 1 |
| FLAMMABILITY | 3 |
| PHYSICAL HAZARD | 0 |
| PERSONAL PROTECTION | X |

**Disclaimer**

The information contained in this document is correct to the best of our knowledge and is based on current information at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release. Crosstex makes no guarantees or warranty to the validity, accuracy, or currency and shall not be liable or responsible in any way for use of either this information or the materials described.

Further information

For any questions surrounding this SDS, please contact the supplier/manufacturer listed on the first page of the document.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Not for use on skin. Not a baby wipe. For use on hard surfaces only.

Do not use on natural marble, windows, unpainted wood, brass, clear plastic or coloured grout.

Revision 1. Jan 6, 2016

Bulk Liquid # 4BQ89001.

Prepared by

Dell Tech Laboratories, Ltd. Phone: (519) 858-5021

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.